

# CONVERSION CHART

<u>MICRO-MESH ALUMINUM OXIDE</u>	<u>MICRO-MESH CUSHIONED ABRASIVE REGULAR</u>	<u>MICRO-MESH CUSHIONED ABRASIVE MX</u>	<u>MICRO-MESH CUSHIONED DIAMOND ABRASIVE</u>	ANSI OR CAMI USA	FEPA OR EURO	APEX OR STRUCTURED ABRASIVES	MICRON
For Solid Surface Countertops & Aluminum Polishing	For Plastics, Wood, Composites, Urethanes and Soft Materials	For Metal Finishing and Hard Materials	For Hard Metal, Alloys, Ceramic and Granite/Marble	-	-	-	-
					<b>P120</b>		<b>125</b>
						<b>A-160</b>	
				<b>120</b>			
					<b>P150</b>	<b>A-130</b>	<b>100</b>
				<b>150</b>			
<b>300 AO</b>			<b>120 MXD</b>	<b>180</b>	<b>P180</b>		<b>80</b>
						<b>A-100</b>	
				<b>200</b>	<b>P220</b>		<b>65</b>
			<b>180 MXD</b>				
		<b>60 MX</b>			<b>P240</b>	<b>A-80</b>	<b>60</b>
		<b>80 MX</b>					
		<b>100 MX</b>			<b>P280</b>		
		<b>120 MX</b>			<b>P320</b>	<b>A-65</b>	<b>52</b>
				<b>240</b>			<b>50</b>
		<b>150 MX</b>		<b>280</b>	<b>P360</b>		<b>45</b>
<b>600 AO</b>		<b>180 MX</b>		<b>320</b>			
					<b>P400</b>	<b>A-45</b>	<b>42</b>
			<b>280 MXD</b>		<b>P500</b>		
<b>800 AO</b>				<b>360</b>			
					<b>P600</b>	<b>A-35</b>	<b>40</b>
<b>1500 AO</b>	<b>1500</b>			<b>400</b>		<b>A-30</b>	<b>30</b>
		<b>240 MX</b>	<b>400 MXD</b>		<b>P800</b>		
				<b>500</b>	<b>P1000</b>		<b>20</b>
			<b>500 MXD</b>		<b>P1200</b>	<b>A-16</b>	
<b>1800 AO</b>	<b>1800</b>			<b>600</b>			<b>15</b>
				<b>800</b>	<b>P1500</b>	<b>A-10</b>	<b>13</b>
<b>2400 AO</b>	<b>2400</b>	<b>320 MX</b>					
		<b>360 MX</b>	<b>600 MXD</b>		<b>P2000</b>	<b>A-06</b>	<b>10</b>
			<b>800 MXD</b>	<b>1000</b>			
		<b>400 MX</b>	<b>1200 MXD</b>		<b>P2500</b>		<b>9</b>
<b>3200 AO</b>	<b>3200</b>			<b>1200</b>			
<b>3600 AO</b>	<b>3600</b>			<b>1350</b>			<b>8</b>
<b>4000 AO</b>	<b>4000</b>	<b>600 MX</b>	<b>1500 MXD</b>	<b>1500</b>		<b>A-05</b>	<b>5</b>
<b>6000 AO</b>	<b>6000</b>	<b>800 MX</b>					<b>4</b>
<b>8000 AO</b>	<b>8000</b>	<b>1200 MX</b>					<b>3</b>
<b>12000 AO</b>	<b>12000</b>		<b>1800 MXD</b>				