

INFORMATION FOR EXPORTING

PAGE 1 OF 16

PRODUCT: NC-78-1 KIT
PRODUCT CODE: 3KNC781

*This kit is the upgraded version of the now obsolete RS-69 Kit

DESCRIPTION: ACRYLIC RESTORE KIT - FOR USE BY HAND:
MICRO-MESH™ CUSHIONED ABRASIVES
MICRO-GLOSS™ LIQUID ABRASIVE
ANTI-STATIC CREME
LIQUID CLEANER

NATIONAL STOCK NUMBER : 1560-00-450-3622
CAGE CODE: 32834

NON-HAZARDOUS MATERIAL

TARIFF CODE: 6805.10.0000
ECCN: EAR99
PREFERENCE CRITERION: B

SHELF LIFE: UNLIMITED
KEEP LIQUID ABRASIVE & CLEANER FROM FREEZING TEMPERATURES

COUNTRY OF ORIGIN: USA
OEM FACTORY NEW
MANUFACTURER: MICRO-SURFACE FINISHING PRODUCTS, INC.
1217 W 3RD ST
WILTON IA 52778, USA

*Seller provides assistance in determining the adequacy of its products for a particular use or purpose.
The final responsibility for determining the suitability of the product lies with the product user.*



CONFORMANCE SPECIFICATIONS
FOR MICRO-MESH ABRASIVES

All MICRO-MESH abrasives conform to following specifications:

RAW

MATERIALS:

The abrasive is made using the best raw materials available to the manufacturer. A tolerance level of 3% (+/-) foreign particles included in the raw material is permitted as long as performance is unaffected.

APPEARANCE:

Natural variation in appearance not under the manufacturer's control is permitted and does not affect product performance. Variation is more pronounced in coarser grades due to the larger crystal size and the amount of light larger crystals reflect. Other natural variations include but are not limited to:

- Color variation between lots
- Crystal trace elements that can appear as "black dots" on the surface of the abrasive
- Transfer of cloth texture which can appear as "unevenness" on the surface of the abrasive and/or "white spots"
- Color variation between lots of the bonding adhesive used will sometimes react with the diamond crystals, producing a different overall color

All finished products are tested for performance and life.

MICRO-SURFACE FINISHING PRODUCTS INC
1217 WEST THIRD STREET
PO BOX 70
WILTON, IOWA 52778
563-732-3240

PAGE 1 OF 3

SECTION 1 MANUFACTURERS INFORMATION

PRODUCT NAME:	MICRO-MESH
PRODUCT DESCRIPTION:	ABRASIVE CLOTH
CHEMICAL FAMILY:	ABRASIVE MATERIAL
REVISION DATE:	JANUARY 1, 2013

SECTION 2 INGREDIENTS, COMPOSITION

CHEMICAL NAME CAS REGISTRY NO.	% WT	ACGIH TLV	OSHA PEL	NOTES
				ABRASIVE CLOTH
				SECTION 313 SUPPLIER NOTIFICATION: "1" IDENTIFIES CHEMICAL INGREDIENTS
				SUBJECT TO REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY
				PLANNING AND COMMUNITY RIGHT-TO-KNOW-ACT OF 1986

SECTION 3 HAZARDS IDENTIFICATION

HEALTH -----	0	INSTABILITY -----	0
FIRE -----	0	OTHER -----	X
(0 = INSIGNIFICANT; 1 = SLIGHT; 2 = MODERATE; 3 = HIGH; 4 = EXTREME)			
HAZARD SIGNAL (SHORT TERM CONTACT OR INHALATION ONLY)		NA	
THRESHOLD LIMIT VALUE:	NA		
PRIMARY ROUTES OF ENTRY:	NA		
EFFECTS OF ACUTE OVEREXPOSURE:	NA		
EYES:	NA		
SKIN:	NA		
INHALATION:	NA		
SWALLOWING:	NA		
EFFECTS OF CHRONIC OVEREXPOSURE:	NA		
CARCINOGENICITY:	NA		
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:	NA		

SECTION 4 FIRST AID MEASURES

EYES:	SAFETY GLASSES RECOMMENDED
SKIN:	NA
INHALED:	NA
SWALLOWED:	NA

SECTION 5 FIRE FIGHTING MEASURES

FLASH POINT:	NA	FLAMMABLE LIMITS LEL-UEL	NA
EXTINGUISHING MEDIA:	STANDARD FIRE FIGHTING PROCEDURES FOR SURROUNDING FIRE		
SPECIAL FIRE FIGHTING PROCEDURES:	NONE		
UNUSUAL FIRE AND EXPLOSION HAZARDS:	NA		
HAZARDOUS COMBUSTION PRODUCTS:	NA		

SECTION 6 ACCIDENTAL RELEASE MEASURES

SMALL SPILLS:	NA
LARGE SPILLS:	NA
DISPOSAL:	ACCEPTED STANDARD OF WASTE DISPOSAL

SECTION 7 HANDLING AND STORAGE

HANDLING:	NO SPECIAL HANDLING REQUIRED
STORAGE:	KEEP IN A CLEAN, DRY AREA AND KEEP AWAY FROM HEAT OR FLAME

SECTION 8 EXPOSURE CONTROLS, PERSONAL PROTECTION

VENTILATION:	WELL VENTILATED AREA RECOMMENDED
RESPIRATOR:	RECOMMENDED
EYE PROTECTION:	SAFETY GLASSES, GOGGLES OR FACE SHIELD
PROTECTIVE CLOTHING:	NA
OTHER PROTECTIVE EQUIPMENT OR MEASURES:	NONE

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT:	NA	VAPOR PRESSURE (MM HG@70°)	NA
SPECIFIC GRAVITY:	NA	VAPOR DENSITY (AIR=1)	NA
PERCENT VOLATILE:	NA	EVAPORATION RATE (ETHER=1)	NA
SOLUBILITY IN WATER:	NONE	PH	NA
APPEARANCE AND ODOR:	NONE	V.O.C.	NA

SECTION 10 STABILITY AND REACTIVITY

STABLE:	YES
CONDITIONS TO AVOID:	NA
INCOMPATIBLE MATERIALS:	SOLVENTS

NE = NOT ESTABLISHED

NA = NOT APPLICABLE

DISCLAIMER

THE ABOVE INFORMATION IS, TO THE BEST OF OUR KNOWLEDGE, CURRENT, ACCURATE AND COMPLETE BASED ON INFORMATION REASONABLE AVAILABLE TO US AS ON THE DATE OF PREPARATION OF THIS FORM. HOWEVER, IT IS THE USER'S RESPONSIBILITY TO DETERMINE THE SAFETY, TOXICITY AND SUITABILITY FOR HIS OR HER OWN USE OF THE PRODUCT DESCRIBED HEREIN. SINCE THE ACTUAL USE BY OTHERS IS BEYOND OUR CONTROL, NO GUARANTEE, EXPRESSED OR IMPLIED, IS MADE BY US AS TO THE EFFECTS OF SUCH USE OR ON THE SAFETY OR TOXICITY OF THIS PRODUCT. NOR DO WE ASSUME ANY LIABILITY ARISING OUT OF THE USE BY OTHERS OF THE PRODUCT. NOR IS THE INFORMATION HEREIN TO BE CONSTRUED AS ABSOLUTELY COMPLETE, SINCE ADDITIONAL INFORMATION MAY BE NECESSARY OR DESIRABLE WHEN EXCEPTIONAL CONDITIONS OR CIRCUMSTANCES EXIST OR BECAUSE OF APPLICABLE LAWS OR REGULATIONS.

Date of Issue: January 15, 2013

“*” alterations as compared to previous version: n.ap. = not applicable; n.av. = not available

Micro-Surface Finishing Products, Inc.

1 Identification of Substance / Preparation and Company

1.1 Identification of Substance or Preparation

Trade Name: Micro-Gloss®

Use: Polishing agent for acrylic glass

Preparation no.:

1.2 Company / Undertaking Identification

1.2.1 Address of the company / Undertaking:

Micro-Surface Finishing Products, Inc., 1217 West 3rd St. PO Box 70 Wilton, Iowa 52778

Telephone: 563-732-3240, Fax: 563-732-3390

1.2.2 Responsible:

Micro-Surface Finishing Products, Inc., Frank Poma, Telephone 563-732-3240

1.3 Emergency – Telephone

Information Center Specializing

In Symptoms of Poisoning

Telephone: 563-732-3240

Emergency- Telephone of

Company / Undertaking

Telephone: 563-732-3240

2 Composition / Information on Ingredients

2.1 Chemical Characterization:

Slurry based on water

2.2 Dangerous Ingredients:

CAS – No.	Index – No.	EEC – No.	Material
Contains none			

Remarks:

Classification and labeling of a product is indicated under item 15.

Exposure Controls / Personal Protection under item 8

R –phrase(s) under item 16

3 Hazards Identification

3.1 For Humans (additional Information is given under item 11):

3.1.1 Classification:

None Flammable

3.1.2 Additional Advice:

May be harmful if swallowed. May be harmful if inhaled. May cause temporary skin and eye irritation.

3.2 For the Environment:

Product may soil public waters by hydrocarbons.

Slightly water endangering.

3.3 For Materials:

n.ap.

4 First Aid Measures

4.1 Inhalation:

The following symptoms may occur: Irritation of Respiratory Tract.

Remove from danger area and provide for fresh air.

If symptoms persist, consult a physician.

4.2 Skin Contact:

Wash with soap and water.

If skin irritation persists, call a physician.

4.3 Eye Contact:

Flush eyes out immediately with large amounts of water with eyelids lifted.

In the event of symptoms occurring, seek medical treatment.

Trade name: Micro-Gloss®

Company / Distributor: Micro-Surface Finishing Products, Inc., 1217 West 3rd St. PO Box 70 Wilton, Iowa 52778
Telephone: 563-732-3240, Date of Issue: January 15, 2013

4.4 **Ingestion:**
Rinse mouth out and drink plenty of water. Do not cause vomiting.
Summon a doctor if difficulties develop.

4.5 **Note to Physician:**
n.ap.

4.6 **Special Equipment:** n.av.

5 Fire Fighting Measures

5.1 **Suitable Extinguishing Media:** Foam, dry chemicals, CO₂.

5.2 **Extinguishing Media to Avoid:** None

5.3 **Fire and Explosion Hazards:**
In case of fire, product may form: Carbon monoxide, Carbon dioxide.

5.4 **Additional Information:** None

5.5 **Special Protective Equipment:**
Wear positive pressure self-contained breathing apparatus.
Wear full protective clothing.

6 Accidental Release Measures

6.1 **Personal Precautions:**
See No. 8.3 Personal Protective Equipment.

6.2 **Environmental Precautions and Methods for Cleaning up:**
Do not allow larger quantities to enter drainage / surface-water / ground-water.
Inform responsible authorities after accidental conduction of larger quantities. Take up mechanically.

6.3 **Further Information:** None

7 Handling and Storage (for national regulations refer to item 15.2)

7.1 Handling

7.1.1 **Precautions for Safe Handling:**
Keep container tightly closed. Close container straight after use or if empty. Application only when sufficient ventilated. Provide good room ventilation even at ground level. Keep from freezing.

7.1.2 **Precautions in Case of Fire and Explosion:**
None

7.2 **Storage:** Keep from Freezing.

7.2.1 **Storage Instructions:**

7.2.2 **Store away from:**
Store away from oxidizers.

7.2.3 **Further Information on Storage Conditions:**
n.ap.

7.2.4 **Storage Class:** n.av.

8 Exposure Controls and Personal Protection

8.1 **Information on System Design:**
Provide personal protective equipment.

8.2 Exposure Limits:

8.2.1 **CAS / Material** **Limit Value according to TRGS 900/ EEC Guideline 2000/39:**
None

8.3 **Personal Protective Equipment**

Trade Name: Micro-Gloss®

Trade Name: Micro-Gloss®

Company / Distributor: Micro-Surface Finishing Products, Inc. 1217 West 3rd St. PO Box 70 Wilton, Iowa 52778
 Telephone: 563-732-3240 Date of Issue: January 15, 2013

11.1.2 Sub acute / Chronic Toxicity:

Carcinogenicity: n.av.
 Mutagenicity: n.av.
 Teratogenicity: n.av.
 Narcotic Effects: n.av.

11.2 Practical Experience**11.2.1 Observations relevant for classification:**

None.

11.2.2 Further Observations:

Frequent contact to skin may lead to drying of skin.

11.3 General Remarks:

Classification of the preparation has been done by calculation in accordance with EEC directives.

Ecological Information**12.1 Elimination (Persistence and Degradability):**

The product is soluble in water.

12.2 Behavior in Sewage Works:

Mobility and Accumulation Potential:
 n.av.

12.3 Ecotoxic Effects, Aquatic Toxicity:

n.av.

12.4 Other Ecological Information

12.4.1 COD-Value, mg/g: n.av.

12.4.2 BOD₅- Value, mg/g: n.av.

12.4.3 AOX-Remarks: n.ap.

12.4.4 Significant Components: None

13 Disposal Considerations (for national Regulations refer to item 15.)**13.1 Residues**

13.1.1 Recommendation: See Item 6
 In addition comply with the regional authorities.

13.1.2 Safe Handling: See item 7 and 15.

13.2 Contaminated Packing

13.2.1 Recommendation: Wash with water. Otherwise as described under Residues.

13.2.2 Safe Handling: As described under Residues.

14 Transport Information**14.1 Transportation by Road or Railway according to ADR/GGVS and RID/GGVE**

Remarks: None

Instructions for Transportation in Tanks: UN-No.: 1325

14.1.1 Instructions Concerning Shipper's Declaration and Packaging:

Volume or Mass	Description of Goods	Risk label Packing – Code
8oz. Plastic Bottles	Liquid Abrasive	n.ap.
or		
1Gallon Plastic Bottles	Liquid Abrasive	n.ap.

14.1.2 Listed Cargo as per Appendix B.8: No.

14.1.3 Additional Designation in the Shipper's Declaration: None

Trade Name: Micro-Gloss®

Company / Distributor: Micro-Surface Finishing Products, Inc. 1217 West 3rd St PO Box 70 Wilton, Iowa 52778
 Telephone: 563-732-3240 Date of Issue: January 15, 2013

14.2 **Classification for Transportation by Inland-Navigation according to ADNO/GGVBinSch**

Remarks: Classification has not been done.

Class: Division: Category:

14.2.1 **Description of Goods:**

14.2.2 **Remarks:**

14.3 **Classifications for Transportation by Vessels according to IMDG/GGVSee**

Remarks:

None

14.3.1 **EmS-Fire / Leak:** F-A; S-G

MFAG-Table: Main dated from 01.02.2001

14.3.2 **Marine Pollutant:** No

14.3.3 **Instruction for Declaration and Labeling:**

None

Proper Shipping Name: None

Risk Label: None

14.3.4 **Remarks:** None.

14.4 **Classification for Transportation by Airplane according to IATA-DGR/ICAO-TI**

Remarks:

None

14.4.1 **Instruction for Declaration and Labeling:**

None

Proper Shipping Name: None

Risk Label: None

14.4.2 **Remarks:** None

15 Regulatory Information

15.1 **Classification according to EEC-Regulations:**

Classification Required by EEC: None Applicable Exemptions: Yes

Hazard Identification: Hazard Symbol(s):

Component(s):

R-Phrases:

None

S-Phrases:

(S 2: Keep out of reach of children.)

Additional Markings:

15.1.1 The Above mentioned classification is valid for distribution to industrial user / private consumer.

Labeling (formats, exemptions, additional markings) has to be done according to respective regulations.

16 Other Information

R-phrase(s):

None

Further information to work out the Data sheet:

Data of the producer.

The statements in this Material Safety Data Sheet were made to the best of our knowledge and are as accurate as possible. They are given for information only. They do not constitute a contractual guarantee of a product's properties. They must neither be altered nor transferred to other products.

Prepared by: Micro-Surface Finishing Products, Inc. – Debbie Abrahams Telephone 563-732-3240

MICRO-SURFACE FINISHING PRODUCTS INC
1217 WEST THIRD STREET
PO BOX 70
WILTON, IOWA 52778
563-732-3240

PAGE 1 OF 3

SECTION 1 MANUFACTURERS INFORMATION

PRODUCT NAME:	ANTI-STATIC CREAM
PRODUCT DESCRIPTION:	WHITE SLURRY, NO ODOR
CHEMICAL FAMILY:	POLISHING COMPOUND
REVISION DATE:	January 1, 2013

SECTION 2 INGREDIENTS, COMPOSITION

CHEMICAL NAME	CAS REGISTRY NO.	%WT	NOTES
WATER			SECTION 313 SUPPLIER NOTIFICATION: "1" IDENTIFIES CHEMICAL INGREDIENTS
WAX	8015-86-9	10	SUBJECT TO REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY
STEARIC ACID	57-11-4	10	PLANNING AND COMMUNITY RIGHT-TO-KNOW-ACT OF 1986.
POLY(OXY-1,2-ETHANEDIYL), A,A'-[[[3-(DECYLOXY)PROPYL]METHYLIMINIO]DI-2,1-ETHANEDIY]BIS[W-HYDROXY-, BRANCHED, CHLORIDES	68478-94-4	3.125	
SILICONE EMULSION	63148-62-9	T	

SECTION 3 HAZARDS IDENTIFICATION

HEALTH ----- 0	INSTABILITY ----- 0
FIRE ----- 0	OTHER ----- X
(0 = INSIGNIFICANT; 1 = SLIGHT; 2 = MODERATE; 3 = HIGH; 4 = EXTREME)	
HAZARD SIGNAL (SHORT TERM CONTACT OR INHALATION ONLY)	
THRESHOLD LIMIT VALUE: NE, BLENDED PRODUCT. SEE SECTION 2 FOR INFORMATION ON LISTED INGREDIENTS	
PRIMARY ROUTES OF ENTRY: EYE CONTACT	
EFFECTS OF ACUTE OVEREXPOSURE:	
EYES:	IRRITATION
SKIN:	DRYING OF SKIN POSSIBLE WITH PROLONGED USE
INHALATION:	MISTS OF PRODUCT OR SOLUTION - POSSIBLE IRRITATION OF RESPIRATORY TRACT
SWALLOWING:	STOMACH UPSET POSSIBLE
EFFECTS OF CHRONIC OVEREXPOSURE: UNKNOWN; NONE EXPECTED BEYOND ACUTE EFFECTS	
CARCINOGENICITY: THIS PRODUCT OR ITS INGREDIENTS HAVE NOT BEEN IDENTIFIED AS A CARCINOGEN OR PROBABLE CARCINOGEN BY NTP, IARC MONOGRAPH, OR OSHA	
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: NONE KNOWN OR EXPECTED	

SECTION 4 FIRST AID MEASURES

EYES:	IMMEDIATELY FLUSH WITH COOL RUNNING WATER HOLDING EYE LIDS APART. REMOVE CONTACT LENSES IF PRESENT AND CONTINUE FLUSHING FOR 15 MINUTES. GET MEDICAL ASSISTANCE IF IRRITATION PERSISTS OR IS SEVERE.
SKIN:	FLUSH THOROUGHLY WITH RUNNING WATER. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE. IF IRRITATION DEVELOPS AND PERSISTS, GET MEDICAL ADVICE OR ASSISTANCE.
INHALED:	REMOVE TO FRESH AIR. IMMEDIATELY CALL FOR MEDICAL ADVICE OR ASSISTANCE IF BREATHING DIFFICULTY OR IRRITATION IS SEVERE OR CONTINUES.
SWALLOWED:	RINSE MOUTH WITH LARGE AMOUNTS OF WATER. DRINK WATER, MILK OR OTHER FLUIDS TO DILUTE. DO NOT INDUCE VOMITING. CALL FOR MEDICAL ADVICE OR ASSISTANCE IF DIFFICULTIES AND DISCOMFORT DEVELOP AND CONTINUE.

SECTION 5 FIRE FIGHTING MEASURES

FLASH POINT:	NA	FLAMMABLE LIMITS LEL-UEL	NA
EXTINGUISHING MEDIA:	AS NEEDED FOR SURROUNDING FIRE		
SPECIAL FIRE FIGHTING PROCEDURES:	FOR ANY CHEMICAL FIRE WEAR SELF CONTAINED BREATHING APPARATUS, AND PROTECTIVE CLOTHING TO PREVENT CONTACT		
UNUSUAL FIRE AND EXPLOSION HAZARDS:	NONE KNOWN		
HAZARDOUS COMBUSTION PRODUCTS:	NONE KNOWN		

SECTION 6 ACCIDENTAL RELEASE MEASURES

SMALL SPILLS:	FLUSH TO DRAIN WITH EXCESS WATER
LARGE SPILLS:	STOP SOURCE OF DISCHARGE IF SAFE TO DO SO, CONTAIN SPILLED MATERIAL, AND KEEP FROM DISCHARGING TO SURFACE WATERS, RECOVER TO DRUM FOR LATER USE, TREATMENT OR DISPOSAL. FLUSH RESIDUAL TO DRAIN. NOTIFY LOCAL, STATE OR NATIONAL AUTHORITIES IF REQUIRED
DISPOSAL:	NORMALLY SEWER DISPOSABLE IN DILUTE SOLUTIONS. CHECK WITH LOCAL AUTHORITIES ABOUT ANY POSSIBLE RESTRICTIONS

SECTION 7 HANDLING AND STORAGE

HANDLING:	RINSE AFTER USE. AVOID BREATHING MISTS OF PRODUCT OR SOLUTION
STORAGE:	KEEP CONTAINERS TIGHTLY CLOSED. DO NOT FREEZE OR STORE IN EXCESSIVE HEAT

SECTION 8 EXPOSURE CONTROLS, PERSONAL PROTECTION

VENTILATION:	NORMALLY NOT NECESSARY, IF MISTS ARE GENERATED HAVE GENERAL OR LOCAL VENTILATION TO AVOID BREATHING IRRITATING MISTS.
RESPIRATOR:	NONE NORMALLY REQUIRED. NIOSH/MSHA APPROVED RESPIRATOR WHERE CONDITIONS MAY CAUSE EXPOSURE LIMITS TO BE EXCEEDED FROM MISTS OF PRODUCT OR SOLUTION.
EYE PROTECTION:	GLASSES, GOGGLES, OR FACE SHIELD WHERE CONDITIONS MAY CAUSE EXCESSIVE EYE EXPOSURE.
PROTECTIVE CLOTHING:	CHEMICAL RESISTANT, IMPERMEABLE GLOVES AS NEEDED TO PREVENT EXCESSIVE CONTACT. FULL BODY COVERING AND SHOES AS NEEDED TO PREVENT EXCESSIVE CONTACT.
OTHER PROTECTIVE EQUIPMENT OR MEASURES:	EYE WASH STATIONS OR RUNNING WATER IN THE WORK AREA.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT:	212° F	VAPOR PRESSURE (MM HG@70°)	NA
SPECIFIC GRAVITY:	1.1	VAPOR DENSITY (AIR=1)	NA
PERCENT VOLATILE:	NA	EVAPORATION RATE (ETHER=1)	NA
SOLUBILITY IN WATER:	COMPLETE	PH	7.6
APPEARANCE AND ODOR:	SEE SECTION 1	V.O.C.	MINIMAL

SECTION 10 STABILITY AND REACTIVITY

STABLE:	YES. HAZARDOUS POLYMERIZATION WILL NOT OCCUR
CONDITIONS TO AVOID:	CONTACT WITH INCOMPATIBLE MATERIALS (SEE BELOW)
INCOMPATIBLE MATERIALS:	NE

NE = NOT ESTABLISHED

NA = NOT APPLICABLE

DISCLAIMER

THE ABOVE INFORMATION IS, TO THE BEST OF OUR KNOWLEDGE, CURRENT, ACCURATE AND COMPLETE BASED ON INFORMATION REASONABLE AVAILABLE TO US AS ON THE DATE OF PREPARATION OF THIS FORM. HOWEVER, IT IS THE USER'S RESPONSIBILITY TO DETERMINE THE SAFETY, TOXICITY AND SUITABILITY FOR HIS OR HER OWN USE OF THE PRODUCT DESCRIBED HEREIN. SINCE THE ACTUAL USE BY OTHERS IS BEYOND OUR CONTROL, NO GUARANTEE, EXPRESSED OR IMPLIED, IS MADE BY US AS TO THE EFFECTS OF SUCH USE OR ON THE SAFETY OR TOXICITY OF THIS PRODUCT. NOR DO WE ASSUME ANY LIABILITY ARISING OUT OF THE USE BY OTHERS OF THE PRODUCT. NOR IS THE INFORMATION HEREIN TO BE CONSTRUED AS ABSOLUTELY COMPLETE, SINCE ADDITIONAL INFORMATION MAY BE NECESSARY OR DESIRABLE WHEN EXCEPTIONAL CONDITIONS OR CIRCUMSTANCES EXIST OR BECAUSE OF APPLICABLE LAWS OR REGULATIONS.

USDS5447 MATERIAL SAFETY DATA SHEET (USA) Doc.#11810**PRODUCT NAME: L.O.C. *Multi-Purpose Cleaner****DISTRIBUTED BY:**

Amway Corporation
 7575 Fulton Street East
 Ada, Michigan 49355

MSDS/PRODUCT INFORMATION:

Amway Corporation
 Business to Business Marketing Group
 7575 Fulton Street East
 Ada, Michigan 49355

EMERGENCY #: 1(616) 676-6307**INFORMATION #: 1-800-992-6929 Ext. 29****HAZARDOUS INGREDIENTS**

(per OSHA Hazard Communication Standard)

% in Product	CAS Number	COMMON NAME Chemical Name
<10		COCAMIDE DEA
	61789-19-3	Amides, coco
<10		ETHYL ALCOHOL
	64-17-5	Ethanol
<10		SODIUM LAURYL ETHER SULFATE
	68891-38-3	Poly (oxy-1, 2-ethanedily), alpha-sulfo-omega-hydroxy, C12-14-alkyl ethers, sodium salts

This product has been evaluated relative to the requirements of California's Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65). It has been determined that the product is properly labeled under that act.

PHYSICAL AND CHEMICAL CHARACTERISTICS

SPECIFIC GRAVITY (H2O=1): 1.01-1.03 SOLUBILITY IN WATER: Complete.

VAPOR PRESSURE (mm Hg): Not determined. VAPOR DENSITY (Air=1): Not determined.

pH: 6.1-6.8 (as is) 1-JAN-13

APPEARANCE AND ODOR: This product is a clear, light yellow moderately viscous liquid with a light lilac fragrance.

PHYSICAL HAZARD DATA

HAZARDS: This product does not present any physical hazards as defined by the OSHA Hazard Communication standard.

FIRE HAZARDS:

FLASH POINT: This product is not flammable or combustible.

FIRE FIGHTING TECHNIQUES: Standard: Wear full body protection. Wear self-contained breathing apparatus to protect against products of combustion (e.g. CO, CO₂, NO₂, COC₁₂, HC₁, smoke, soot, unidentified organics.) Use water spray, foam, dry, chemical, CO₂. Cool containers with water. No explosion hazards identified.

REACTIVITY:

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS/MATERIAL TO AVOID: Avoid excessive heat, flame, contact with acids, strong oxidizers.

HEALTH HAZARD DATA

EXPOSURE LIMIT: An exposure limit for this product has not been established. Exposure limits for product ingredients are listed below.

PRIMARY ROUTES OF EXPOSURE/ENTRY: This product can affect the body if it contacts the skin or eyes, is inhaled or ingested.

SIGNS/SYMPTOMS/EFFECTS OF EXPOSURE

SKIN CONTACT: Prolonged or repeated skin contact with this product may cause dry skin. (See below)

EYE CONTACT: This product may cause mild to moderate eye irritation.

INGESTION: Ingestion of this product may cause irritation of the mouth and throat, upset stomach, nausea, vomiting, and diarrhea. (See below)

INHALATION: Inhalation may cause irritation of the nose, throat, and lungs. (See below)

AGGRAVATED MEDICAL CONDITIONS: Pre-existing skin, eye and respiratory disorders.

NOTES: Inhalation effects of this product, other than respiratory irritation, have not been determined. Inhalation effects of individual ingredients are noted below. A prediction as to whether these effects will be exhibited by the product as a whole is dependent on an evaluation of the product's use and extent and duration of exposure.

Inhalation overexposure to ethyl alcohol vapors or mists may cause respiratory irritation, headache, nausea, dizziness, drowsiness. The OSHA Permissible Exposure Limit and ACGIH Threshold Limit Value for ethyl alcohol are 1000 PPM. Studies in laboratory animals involving prolonged and repeated inhalation exposures to ethyl alcohol have resulted in liver damage. Prolonged and repeated oral dosing of laboratory animals has caused mutagenic and developmental toxic effects. The International Association for Research on Cancer (IARC) has reported ethyl alcohol to be carcinogenic (based on chronic ingestion of alcoholic beverages).

EMERGENCY AND FIRST AID PROCEDURES

SKIN CONTACT: Rinse thoroughly with water.

EYE CONTACT: Remove contact lenses. Rinse with a gentle stream of lukewarm water for 15 minutes, holding eyelids open. IF IRRITATION DEVELOPS, GET MEDICAL ADVICE by calling the emergency phone number on page one of this MSDS, or a local/regional Poison Control Center, or a hospital emergency room.

INGESTION: If victim is a child, give 4-8 ounces of water. For adults, give 8-12 ounces of water. Do not induce vomiting when this product is swallowed. If vomiting occurs spontaneously, keep victim in an upright position. GET MEDICAL ADVICE by calling the emergency phone number on page one of this MSDS, or a local/regional Poison Control Center, or a hospital emergency room.

INHALATION: Remove to fresh air. If irritation or breathing difficulty develops, GET MEDICAL ADVICE by calling the emergency phone number on page one of this MSDS, or a local/regional Poison Control Center, or a hospital emergency room.

SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF SPILLED OR RELEASED: Wear appropriate personal protection equipment (respirator, gloves, goggles and/or face shield, boots, protective clothing). Contain/dike spill to prevent environmental release.

WASTE DISPOSAL: Dispose of in accordance with Federal, State and Local regulations.

HANDLING PRECAUTIONS

PROTECTIVE MEASURES: This product is a consumer product. To the extent the product is used in a fashion typical to that of a consumer, protective measures, with the exception of those indicated on the label, are not normally necessary. Where use conditions and/or extent and duration of exposure differ from typical consumer use, however, appropriate protective measures to prevent eye and prolonged skin contact (glasses, goggles, rubber gloves, protective clothing) and minimize inhalation exposure (engineering controls, NIOSH-approved respiratory protection appropriate for the hazard presented) are recommended.

WORK/HYGIENE PRACTICES: For good personal hygiene, insure prompt removal from skin, eyes, and clothing.

DISCLAIMER

The information contained herein is believed to be accurate and represents the best information currently available to us, much of which comes from the manufacturer or supplier of components of this product. Therefore, Amway Corporation makes no warranty, express or implied, regarding the accuracy of the data. Health and safety precautions in this data sheet may not be adequate for all individuals and product uses. It is the user's obligation to make certain that this MSDS is the most current MSDS for the product; to evaluate the information contained in this sheet in connection with the uses to which the product is to be put in the workplace and to use the product safely in accordance with applicable laws and regulations. If there are any questions concerning the information contained in this sheet or its applicability to a particular use, the user is instructed to telephone 1-800-992-6929 Ext. 29. Amway Corporation assumes no responsibility for injury from the use of the product described in this sheet in a way different from that provided in the label directions.

*Trademark of Amway Corporation, Ada, Michigan

1-JAN-13
