

# COLOR CHART

MICRO-MESH™ REGULAR

**COARSE**

	1 500
	1 800
	2 400
	3 200
	3 600
	4 000
	6 000
	8 000
	1 2 000

**FINE**

# CONVERSION CHART

<u>MICRO-MESH ALUMINUM OXIDE</u>	<u>MICRO-MESH CUSHIONED ABRASIVE REGULAR</u>	<u>MICRO-MESH CUSHIONED ABRASIVE MX</u>	<u>MICRO-MESH CUSHIONED DIAMOND ABRASIVE</u>	ANSI OR CAMI USA	FEPA OR EURO	APEX OR STRUCTURED ABRASIVES	MICRON
For Solid Surface Countertops & Aluminum Polishing	For Plastics, Wood, Composites, Urethanes and Soft Materials	For Metal Finishing and Hard Materials	For Hard Metal, Alloys, Ceramic and Granite/Marble	-	-	-	-
					<b>P120</b>		<b>125</b>
						<b>A-160</b>	
				<b>120</b>			
					<b>P150</b>	<b>A-130</b>	<b>100</b>
				<b>150</b>			
<b>300 AO</b>			<b>120 MXD</b>	<b>180</b>	<b>P180</b>		<b>80</b>
						<b>A-100</b>	
				<b>200</b>	<b>P220</b>		<b>65</b>
			<b>180 MXD</b>				
		<b>60 MX</b>			<b>P240</b>	<b>A-80</b>	<b>60</b>
		<b>80 MX</b>					
		<b>100 MX</b>			<b>P280</b>		
		<b>120 MX</b>			<b>P320</b>	<b>A-65</b>	<b>52</b>
				<b>240</b>			<b>50</b>
		<b>150 MX</b>		<b>280</b>	<b>P360</b>		<b>45</b>
<b>600 AO</b>		<b>180 MX</b>		<b>320</b>			
					<b>P400</b>	<b>A-45</b>	<b>42</b>
			<b>280 MXD</b>		<b>P500</b>		
<b>800 AO</b>				<b>360</b>			
					<b>P600</b>	<b>A-35</b>	<b>40</b>
<b>1500 AO</b>	<b>1500</b>			<b>400</b>		<b>A-30</b>	<b>30</b>
		<b>240 MX</b>	<b>400 MXD</b>		<b>P800</b>		
				<b>500</b>	<b>P1000</b>		<b>20</b>
			<b>500 MXD</b>		<b>P1200</b>	<b>A-16</b>	
<b>1800 AO</b>	<b>1800</b>			<b>600</b>			<b>15</b>
				<b>800</b>	<b>P1500</b>	<b>A-10</b>	<b>13</b>
<b>2400 AO</b>	<b>2400</b>	<b>320 MX</b>					
		<b>360 MX</b>	<b>600 MXD</b>		<b>P2000</b>	<b>A-06</b>	<b>10</b>
			<b>800 MXD</b>	<b>1000</b>			
		<b>400 MX</b>	<b>1200 MXD</b>		<b>P2500</b>		<b>9</b>
<b>3200 AO</b>	<b>3200</b>			<b>1200</b>			
<b>3600 AO</b>	<b>3600</b>			<b>1350</b>			<b>8</b>
<b>4000 AO</b>	<b>4000</b>	<b>600 MX</b>	<b>1500 MXD</b>	<b>1500</b>		<b>A-05</b>	<b>5</b>
<b>6000 AO</b>	<b>6000</b>	<b>800 MX</b>					<b>4</b>
<b>8000 AO</b>	<b>8000</b>	<b>1200 MX</b>					<b>3</b>
<b>12000 AO</b>	<b>12000</b>		<b>1800 MXD</b>				

**REMOVES BURN MARKS EASILY!**



**GREAT FOR CULTURED MARBLE, FIBERGLASS,  
AND SOLID SURFACE. REPAIRS UP TO 30 SQ.  
FEET OF MATERIAL. FOR USE ON TUBS, SPAS,  
COUNTERTOPS,  
AND SINKS!**



**MICRO-SURFACE FINISHING PRODUCTS, INC.  
800-225-3006**



# MICRO-SURFACE

## FINISHING PRODUCTS, INC.

The MICRO-MESH BURN KIT gives you everything you need to remove stains, burn marks, and scratches from cultured marble, fiberglass and solid surface. With a few simple steps, you can restore damaged vanities, sinks, tubs, sink and tub surrounds and more. This handy kit contains sheets of MICRO-cushioned abrasive restoration of fine art. internationally used in applications fail. This kit will restore contains 6-3" x 6" grades 1500, 1800, 6000; 2 ounces of abrasive; a 3" x 3" sheets. The BURN KIT is not only popular with hotel/motel maintenance engineers but also with the homeowner. Protect your investment and improve your surroundings.



MESH, a unique originally designed for the MICRO-MESH is recognized for being where traditional products up to 30 square feet and sheets of MICRO-MESH in 2400, 3600, 4000, and MICRO-GLOSS liquid foam block, and 2 flannel



### MICRO-SURFACE

FINISHING PRODUCTS, INC.  
1217 West Third Street, Wilton, IA 52778  
800-225-3006 FX: 563-732-3390  
[www.micro-surface.com](http://www.micro-surface.com)





# MICRO-SURFACE


## FINISHING PRODUCTS, INC.

### MICRO-MESH

MICRO-MESH IS A CLOTH-BACKED CUSHIONED ABRASIVE DESIGNED TO POLISH A WIDE VARIETY OF MATERIALS TO A MIRROR FINISH.

MICRO-MESH IS AVAILABLE IN A VARIETY OF DIFFERENT SHEET AND DISC SIZES, AS WELL AS KITS AND SOFT TOUCH PADS TO SUIT SPECIFIC APPLICATIONS.


CONTACT OUR SALES DEPARTMENT AT 800-225-3006 FOR SUPPORT OR CONTACT US AT OUR WEBSITE: [www.micro-surface.com](http://www.micro-surface.com)



LOOP AND  
PSA BACKED  
DISCS




SOFT TOUCH PADS



**Cushioned Abrasives:**  
**MICRO-MESH**

Cushioned abrasives use large abrasive crystals to cut a fine uniform scratch pattern. The spaces between the crystals help keep the material from loading up.



**Fixed Crystal Abrasives:**  
**"Sandpaper"**

Achieves a similar size scratch pattern using much smaller abrasive grit. The space between crystals loads up quickly and heat is built up on the surface of the part. Uneven crystals produce gouges and random scratches.

### TO REMOVE BURN MARKS FROM SOLID SURFACE, CULTURED MARBLE AND FIBERGLASS

- DEEP BURNS - BEGIN WITH 1500 MICRO-MESH
- MINOR BURNS - BEGIN WITH 2400 MICRO-MESH
- DISCOLORATIONS - BEGIN WITH 3600 MICRO-MESH

### SCRATCH REMOVAL FROM SOLID SURFACE

- TO MATCH A SATIN FINISH - BEGIN WITH 1500 MICRO-MESH, FOLLOWED BY 1800 MICRO-MESH IF REQUIRED TO MATCH YOUR FINISH
- TO MATCH A GLOSS FINISH - REMOVE DAMAGE USING 1500 MICRO-MESH, FOLLOWING WITH 1800, 2400, 3600 AND 4000 MICRO-MESH
- TO MATCH A HIGH GLOSS FINISH - REMOVE DAMAGE USING 1500 MICRO-MESH, FOLLOWING WITH 1800, 2400, 3600, 4000, 6000 AND MICRO-GLOSS.

### SCRATCH REMOVAL FROM CULTURED MARBLE AND FIBER GLASS

- REMOVE DAMGE WITH 1500 MICRO-MESH, FOLLOWED BY 1800, 2400, 3600, 4000, 6000 AND MICRO-GLOSS.

### STAINLESS STEEL, COPPER, BRASS, BRONZE POLISHING

- REMOVE OXIDATION AND FINE SCRATCHES WITH 1500, FOLLOWED BY 1800, 2400, 3600, 4000, 6000 AND MICRO-GLOSS.

### REPAIRING AND POLISHING WOOD FINISHES (POLYURETHANE, POLYESTER, EPOXY, LACQUER)

- TO POLISH THE SURFACE, BEGIN WITH 3600 MICRO-MESH AND CONTINUE TO 6000 UNTIL THE DESIRED GLOSS IS ACHIEVED.
- TO REPAIR A BURN IN-APPLY 3 COATS OF LAQUER. BEGIN WITH 1500 MICRO-MESH, THEN APPLY ANOTHER COAT OF LACQUER. POLISH USING 1800, 2400, 3600, 4000, 6000. FINISH WITH MICRO-GLOSS TO ACHIEVE A HIGH GLOSS FINISH.

SHOP ON OUR WEBSITE- [WWW.MICRO-SURFACE.COM](http://WWW.MICRO-SURFACE.COM)

# NEW ACCESSORY ITEM FOR COUNTERTOP REPAIR

**A SERIES OF MICRO-MESH FOAM PADS  
DESIGNED TO HELP THE HOMEOWNER  
KEEP THEIR COUNTERS LOOKING AS  
NEW AS THE DAY YOU INSTALLED THEM.  
FOR MATTE, SATIN AND HIGH GLOSS  
FINISHES - ONE KIT DOES IT ALL!**

**ASK US ABOUT PRIVATE LABELLING.**

**MICRO-SURFACE FINISHING PRODUCTS, INC.**

800-225-3006

[microsurface@netwtc.net](mailto:microsurface@netwtc.net)

[www.micro-surface.com](http://www.micro-surface.com)

**SOFT TOUCH PAD COUNTERTOP REPAIR KIT!**







## SOLID SURFACE COUNTERTOP REPAIR KIT **3KCOUNTER**

- 1 - 3" X 4" MICRO-MESH SOFT TOUCH PAD 300AO WHITE/300AO
- 1 - 3" X 4" MICRO-MESH SOFT TOUCH PAD 600AO YELLOW/800 AO/GREEN
- 1 - 3" X 4" MICRO-MESH SOFT TOUCH PAD 1500AO PEACH/2400AO LILAC
- 1 - 3" X 4" MICRO-MESH SOFT TOUCH PAD 4000AO BLUE/12000AO GRAY
- 1 - INSTRUCTIONAL GUIDELINES

THIS KIT IS DESIGNED TO TOUCH-UP SOLID SURFACE COUNTERTOPS WHEN THEY BECOME DAMAGED BY SCRATCHES, BURN MARKS, OR STAINS. NOT FOR USE ON LAMINATES. USE THE APPROPRIATE PAD TO REMOVE DAMAGE AND THEN WORK THROUGH FINER GRADES UNTIL ORIGINAL FINISH IS MATCHED. KIT RESTORES ALL FINISHES FROM MATTE TO GLOSS.

SOFT TOUCH PADS ARE MADE OF TWO MICRO-MESH SHEETS LAMINATED TO 3/16" FOAM. THEY ARE LONG LASTING CAN BE RINSED, DRIED AND STORED FOR FUTURE USE. PADS EASILY CONFORM TO CONVEX AND CONCAVE SURFACES.

FOR ADDITIONAL INFORMATION, SEE OUR WEBSITE AT

[www.micro-surface.com](http://www.micro-surface.com)

**THE QUALITY OF THE ABRASIVE  
DETERMINES THE QUALITY OF  
THE FINISH....**



**SEE WHAT A DIFFERENCE MICRO-MESH MAKES!**



# MICRO-SURFACE

## SOLID SURFACE FINISHING DISCS

### ALUMINUM OXIDE FINISHING DISCS

Recommended for both Poly-Acrylic and Acrylic solid surfaces.

#### UNIQUELY ENGINEERED

Made from Micro-Mesh™, a cloth backed "cushioned" abrasive engineered to produce consistent, flawless finishes. With a resilient inner cushioning layer and a flexible backing, Micro-Mesh allows the abrasive crystals to cut with a positive rake and even planing action. The result is a higher quality finish with depth and brilliance unlike finishes provided by fixed crystal abrasives.

#### CHOICE, OPTIONS, AND EASE OF USE

Available in 4 1/2", 5", 6", 8", 10" and 12" discs, with any hole pattern, in either PSA or loop backing. No special tools or back-up pads are required. Micro-Mesh can be used completely dry or with water, and is reuseable. The homeowner can easily maintain their finish with the use of our Soft Touch Pads™ which are available in any grade of Micro-Mesh. Engineered to effortlessly glide across the material, Micro-Mesh greatly reduces the amount of fatigue that fabricators would normally endure through the sanding process.

MICRO-SURFACE FINISHING PRODUCTS, INC.

PO BOX 70

WILTON IA 52778 800-225-3006

**ORDER ONLINE AT [www.micro-surface.com](http://www.micro-surface.com)**

### BENEFITS

- ⇨ May Be Used Completely Dry Or With Water
- ⇨ Safe For Use With Any Sander/Vacuum System
- ⇨ Less Heat Generation - Won't Burn Material
- ⇨ Versatile - No Special Tools Are Required
- ⇨ Consistent, Flawless, Swirl-Free Finish
- ⇨ Matte To High Gloss - No Buffing Required
- ⇨ Less Loading, Longer Life
- ⇨ Ready To Ship To You Today - No Minimums
- ⇨ No Large Initial Investment To Make
- ⇨ Finish Is Easily Maintained By Homeowners
- ⇨ Reuseable and Washable

### FINISHING GUIDELINES

DEEP SCRATCH REMOVAL:	300
MATTE FINISH:	300, 600
SATIN FINISH:	300, 600, 800, 1500
GLOSS FINISH:	300, 600, 800, 1500, 2400, 4000
HIGH GLOSS FINISH:	300, 600, 800, 1500, 2400, 4000, 12000

\*For solid surface finishing - to finish cast polymers, see special technical bulletin. \*All grades refer to Micro-Mesh Aluminum Oxide. \*Depending on the type of solid surface, not all steps may be required to achieve the finish you desire.

### SOFT TOUCH PADS

Perfect for touch-ups, concave surfaces, and areas where a power tool cannot fit. Great for the homeowner. Available in any grit and a variety of sizes.

A5-11/00





## ACRYLIC TUB AND SPA RESTORAL KIT 3KTSK

- 1 - 3" X 4" SHEET 2400 MICRO-MESH
- 1 - 3" X 4" SHEET 3200 MICRO-MESH
- 1 - 3" X 4" SHEET 4000 MICRO-MESH
- 1 - 3" X 4" SHEET 6000 MICRO-MESH
- 1 - 2" X 3" FOAM BLOCK
- 1 - 1 OZ. BOTTLE OF MICRO-GLOSS
- 1 - FLANNEL SHEET
- 1 - INSTRUCTIONS

DESIGNED TO REMOVE SURFACE SCRATCHES AND BLEMISHES  
ON ACRYLIC TUBS, SHOWERS, AND SPAS AND RESTORE ACRYLIC  
SURFACES TO LIKE-NEW CONDITION.