

# Micro-Gloss

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).  
Date of Issue: 11/07/2022 Version: 1.0

### SECTION 1: IDENTIFICATION

#### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** Micro-Gloss

#### 1.2. Intended Use of the Product

Polish to remove residual haze on coatings, paint or plastics.

#### 1.3. Name, Address, and Telephone of the Responsible Party

##### Company

Micro-Surface Finishing Products, Inc.

1217 W 3rd St

PO Box 70

Wilton IA 52778

563.732.3240

[www.micro-surface.com](http://www.micro-surface.com)

#### 1.4. Emergency Telephone Number

**Emergency Number** : 563.732.3240

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

##### GHS-US/CA Classification

Not classified

#### 2.2. Label Elements

##### GHS-US/CA Labeling

No labeling applicable according to 29 CFR 1910.1200 and the Hazardous Products Regulations (HPR) SOR/2015-17.

#### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

#### 2.4. Unknown Acute Toxicity (GHS-US/CA)

No additional information available

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Synonyms	Product Identifier	% *	GHS Ingredient Classification
Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> )	Aluminum oxide / .alpha.-Alumina / Alumina / Aluminium oxide / Aluminium oxide (Al <sub>2</sub> O <sub>3</sub> ) / .alpha.-Aluminum oxide / Dialuminum trioxide / Dialuminium trioxide / ALUMINA / Alundum	(CAS-No.) 1344-28-1	10 - 30	Not classified
1,2,3-Propanetriol	Propane-1,2,3-triol / Glycerine / Glycerin / GLYCERIN / 1,2,3-Trihydroxypropane / Glycerol	(CAS-No.) 56-81-5	7 - 13	Not classified

\*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

\*\* The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

### SECTION 4: FIRST AID MEASURES

#### 4.1. Description of First-aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

# Micro-Gloss

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

**Eye Contact:** Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**General:** Not expected to present a significant hazard under anticipated conditions of normal use.

**Inhalation:** Prolonged exposure may cause irritation.

**Skin Contact:** Prolonged exposure may cause skin irritation.

**Eye Contact:** May cause slight irritation to eyes.

**Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None expected under normal conditions of use.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Metal oxide fumes. Acrolein. Nitrous oxide.

### 5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# Micro-Gloss

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Materials:** Strong acids, strong bases, strong oxidizers.

### 7.3. Specific End Use(s)

Polish to remove residual haze on coatings, paint or plastics.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

1,2,3-Propanetriol (56-81-5)		
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m <sup>3</sup> (mist, total particulate) 5 mg/m <sup>3</sup> (mist, respirable fraction)
Alberta	OEL TWA	10 mg/m <sup>3</sup> (mist)
British Columbia	OEL TWA	10 mg/m <sup>3</sup> (mist, total) 3 mg/m <sup>3</sup> (mist-respirable)
New Brunswick	OEL TWA	10 mg/m <sup>3</sup> (mist)
Nunavut	OEL STEL	20 mg/m <sup>3</sup> (mist)
Nunavut	OEL TWA	10 mg/m <sup>3</sup> (mist)
Northwest Territories	OEL STEL	20 mg/m <sup>3</sup> (mist)
Northwest Territories	OEL TWA	10 mg/m <sup>3</sup> (mist)
Québec	VEMP (OEL TWA)	10 mg/m <sup>3</sup> (mist)
Saskatchewan	OEL STEL	20 mg/m <sup>3</sup> (mist)
Saskatchewan	OEL TWA	10 mg/m <sup>3</sup> (mist)
Yukon	OEL TWA	30 mppcf (mist) 10 mg/m <sup>3</sup> (mist)
Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> ) (1344-28-1)		
USA ACGIH	ACGIH OEL TWA	10 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable fraction)
Alberta	OEL TWA	10 mg/m <sup>3</sup>
New Brunswick	OEL TWA	10 mg/m <sup>3</sup> (particulate matter containing no Asbestos and <1% Crystalline silica)
Nunavut	OEL STEL	20 mg/m <sup>3</sup>
Nunavut	OEL TWA	10 mg/m <sup>3</sup>
Northwest Territories	OEL STEL	20 mg/m <sup>3</sup>
Northwest Territories	OEL TWA	10 mg/m <sup>3</sup>
Québec	VEMP (OEL TWA)	10 mg/m <sup>3</sup> (containing no Asbestos and <1% Crystalline silica-total dust)
Saskatchewan	OEL STEL	20 mg/m <sup>3</sup>
Saskatchewan	OEL TWA	10 mg/m <sup>3</sup>
Yukon	OEL STEL	20 mg/m <sup>3</sup> (Al <sub>2</sub> O <sub>3</sub> )
Yukon	OEL TWA	30 mppcf (Al <sub>2</sub> O <sub>3</sub> ) 10 mg/m <sup>3</sup> (Al <sub>2</sub> O <sub>3</sub> )

# Micro-Gloss

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

## 8.2. Exposure Controls

**Appropriate Engineering Controls:** Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** Gloves. Protective clothing. Protective goggles.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear protective gloves.

**Eye and Face Protection:** Chemical safety goggles.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: White/ Cream
Odor	: According to product specification
Odor Threshold	: No data available
pH	: No data available
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: Not applicable
Lower Flammable Limit	: No data available
Upper Flammable Limit	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Specific Gravity	: No data available
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity:

Hazardous reactions will not occur under normal conditions.

### 10.2. Chemical Stability:

Stable under recommended handling and storage conditions (see section 7).

### 10.3. Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

### 10.4. Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, and incompatible materials.

### 10.5. Incompatible Materials:

Strong acids, strong bases, strong oxidizers.

### 10.6. Hazardous Decomposition Products:

Thermal decomposition may produce: Carbon oxides (CO, CO<sub>2</sub>). Acrolein. Nitrogen oxides.

# Micro-Gloss

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects - Product

**Acute Toxicity (Oral):** Not classified

**Acute Toxicity (Dermal):** Not classified

**Acute Toxicity (Inhalation):** Not classified

**LD50 and LC50 Data:**

No additional information available

**Skin Corrosion/Irritation:** Not classified

**Eye Damage/Irritation:** Not classified

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None expected under normal conditions of use.

**Potential Adverse human health effects and symptoms:** Based on available data, the classification criteria are not met.

### 11.2. Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:**

<b>1,2,3-Propanetriol (56-81-5)</b>	
LD50 Oral Rat	12600 mg/kg
LD50 Dermal Rabbit	> 10 g/kg
<b>Aluminum oxide (Al2O3) (1344-28-1)</b>	
LD50 Oral Rat	> 15900 mg/kg

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecology - General:** Not classified.

<b>1,2,3-Propanetriol (56-81-5)</b>	
LC50 Fish 1	54000 (51000 – 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
<b>Aluminum oxide (Al2O3) (1344-28-1)</b>	
LC50 Fish 1	> 100 mg/l
EC50 - Crustacea [1]	> 100 mg/l
ErC50 algae	> 100 mg/l
NOEC (Acute)	> 50 mg/l

### 12.2. Persistence and Degradability

<b>Micro-Gloss</b>	
Persistence and Degradability	Not established.

### 12.3. Bioaccumulative Potential

<b>Micro-Gloss</b>	
Bioaccumulative Potential	Not established.
<b>1,2,3-Propanetriol (56-81-5)</b>	
BCF Fish 1	(no bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	-1.75 (at 25 °C (at pH 7.4))

### 12.4. Mobility in Soil

No additional information available

# Micro-Gloss

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

## 12.5. Other Adverse Effects

**Other Information:** Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

**Ecology - Waste Materials:** Avoid release to the environment.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

### 14.1. In Accordance with DOT

Not regulated for transport

### 14.2. In Accordance with IMDG

Not regulated for transport

### 14.3. In Accordance with IATA

Not regulated for transport

### 14.4. In Accordance with TDG

Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

#### 1,2,3-Propanetriol (56-81-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

#### Aluminum oxide (Al<sub>2</sub>O<sub>3</sub>) (1344-28-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Subject to reporting requirements of United States SARA Section 313

#### SARA Section 313 - Emission Reporting

1 % (fibrous forms)

### 15.2. US State Regulations

#### 1,2,3-Propanetriol (56-81-5)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - Massachusetts - Right To Know List

#### Aluminum oxide (Al<sub>2</sub>O<sub>3</sub>) (1344-28-1)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - Massachusetts - Right To Know List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

### 15.3. Canadian Regulations

#### 1,2,3-Propanetriol (56-81-5)

Listed on the Canadian DSL (Domestic Substances List)

#### Aluminum oxide (Al<sub>2</sub>O<sub>3</sub>) (1344-28-1)

Listed on the Canadian DSL (Domestic Substances List)

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Date of Preparation or Latest Revision** : 11/07/2022

**Revision**

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

# Micro-Gloss

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

---

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

NA GHS SDS 2015 (Can, US)

# Micro-Gloss #5

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).  
Date of Issue: 11/28/2022 Version: 1.0

### SECTION 1: IDENTIFICATION

#### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** Micro-Gloss #5

#### 1.2. Intended Use of the Product

Polish to remove residual haze on coatings, paint or plastics.

#### 1.3. Name, Address, and Telephone of the Responsible Party

##### Company

Micro-Surface Finishing Products, Inc.

1217 W 3rd St

PO Box 70

Wilton IA 52778

563.732.3240

[www.micro-surface.com](http://www.micro-surface.com)

#### 1.4. Emergency Telephone Number

**Emergency Number** : 563.732.3240

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

##### GHS-US/CA Classification

Not classified

#### 2.2. Label Elements

##### GHS-US/CA Labeling

No labeling applicable according to 29 CFR 1910.1200 and the Hazardous Products Regulations (HPR) SOR/2015-17.

#### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

#### 2.4. Unknown Acute Toxicity (GHS-US/CA)

No additional information available

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Synonyms	Product Identifier	% *	GHS Ingredient Classification
1,2,3-Propanetriol	Propane-1,2,3-triol / Glycerine / Glycerin / GLYCERIN / 1,2,3-Trihydroxypropane / Glycerol	(CAS-No.) 56-81-5	10 - 30	Not classified
Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> )	Aluminum oxide / .alpha.-Alumina / Alumina / Aluminium oxide / Aluminium oxide (Al <sub>2</sub> O <sub>3</sub> ) / .alpha.-Aluminum oxide / Dialuminum trioxide / Dialuminium trioxide / ALUMINA / Alundum	(CAS-No.) 1344-28-1	10 - 30	Not classified

\*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

\*\* The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

### SECTION 4: FIRST AID MEASURES

#### 4.1. Description of First-aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).



# Micro-Gloss #5

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

**Eye Contact:** Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**General:** Not expected to present a significant hazard under anticipated conditions of normal use.

**Inhalation:** Prolonged exposure may cause irritation.

**Skin Contact:** Prolonged exposure may cause skin irritation.

**Eye Contact:** May cause slight irritation to eyes.

**Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None expected under normal conditions of use.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Peroxides. Acrolein. Metal oxides.

### 5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Ventilate area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# Micro-Gloss #5

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for Safe Handling

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Materials:** Strong acids, strong bases, strong oxidizers, alkenes.

#### 7.3. Specific End Use(s)

Polish to remove residual haze on coatings, paint or plastics.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> ) (1344-28-1)		
USA ACGIH	ACGIH OEL TWA	10 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable fraction)
Alberta	OEL TWA	10 mg/m <sup>3</sup>
New Brunswick	OEL TWA	10 mg/m <sup>3</sup> (particulate matter containing no Asbestos and <1% Crystalline silica)
Nunavut	OEL STEL	20 mg/m <sup>3</sup>
Nunavut	OEL TWA	10 mg/m <sup>3</sup>
Northwest Territories	OEL STEL	20 mg/m <sup>3</sup>
Northwest Territories	OEL TWA	10 mg/m <sup>3</sup>
Québec	VEMP (OEL TWA)	10 mg/m <sup>3</sup> (containing no Asbestos and <1% Crystalline silica-total dust)
Saskatchewan	OEL STEL	20 mg/m <sup>3</sup>
Saskatchewan	OEL TWA	10 mg/m <sup>3</sup>
Yukon	OEL STEL	20 mg/m <sup>3</sup> (Al <sub>2</sub> O <sub>3</sub> )
Yukon	OEL TWA	30 mppcf (Al <sub>2</sub> O <sub>3</sub> ) 10 mg/m <sup>3</sup> (Al <sub>2</sub> O <sub>3</sub> )
1,2,3-Propanetriol (56-81-5)		
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m <sup>3</sup> (mist, total particulate) 5 mg/m <sup>3</sup> (mist, respirable fraction)
Alberta	OEL TWA	10 mg/m <sup>3</sup> (mist)
British Columbia	OEL TWA	10 mg/m <sup>3</sup> (mist, total) 3 mg/m <sup>3</sup> (mist-respirable)
New Brunswick	OEL TWA	10 mg/m <sup>3</sup> (mist)
Nunavut	OEL STEL	20 mg/m <sup>3</sup> (mist)
Nunavut	OEL TWA	10 mg/m <sup>3</sup> (mist)
Northwest Territories	OEL STEL	20 mg/m <sup>3</sup> (mist)
Northwest Territories	OEL TWA	10 mg/m <sup>3</sup> (mist)
Québec	VEMP (OEL TWA)	10 mg/m <sup>3</sup> (mist)
Saskatchewan	OEL STEL	20 mg/m <sup>3</sup> (mist)
Saskatchewan	OEL TWA	10 mg/m <sup>3</sup> (mist)
Yukon	OEL TWA	30 mppcf (mist) 10 mg/m <sup>3</sup> (mist)

# Micro-Gloss #5

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### 8.2. Exposure Controls

**Appropriate Engineering Controls:** Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** Gloves. Protective clothing. Protective goggles.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear protective gloves.

**Eye and Face Protection:** Chemical safety goggles.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: White/cream
Odor	: According to product specification
Odor Threshold	: No data available
pH	: No data available
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: Not applicable
Lower Flammable Limit	: No data available
Upper Flammable Limit	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Specific Gravity	: No data available
Solubility	: Water: Fully miscible
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity:

Hazardous reactions will not occur under normal conditions.

### 10.2. Chemical Stability:

Stable under recommended handling and storage conditions (see section 7).

### 10.3. Possibility of Hazardous Reactions:

Contains substances that can initiate polymerization in alkenes.

### 10.4. Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, and incompatible materials.

### 10.5. Incompatible Materials:

Strong acids, strong bases, strong oxidisers, alkenes.

### 10.6. Hazardous Decomposition Products:

Can form peroxides by prolonged contact with air and light.

# Micro-Gloss #5

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects - Product

**Acute Toxicity (Oral):** Not classified

**Acute Toxicity (Dermal):** Not classified

**Acute Toxicity (Inhalation):** Not classified

#### LD50 and LC50 Data:

No additional information available

**Skin Corrosion/Irritation:** Not classified

**Eye Damage/Irritation:** Not classified

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None expected under normal conditions of use.

### 11.2. Information on Toxicological Effects - Ingredient(s)

#### LD50 and LC50 Data:

<b>Aluminum oxide (Al<sub>2</sub>O<sub>3</sub>) (1344-28-1)</b>	
LD50 Oral Rat	> 15900 mg/kg
<b>1,2,3-Propanetriol (56-81-5)</b>	
LD50 Oral Rat	12600 mg/kg
LD50 Dermal Rabbit	> 10 g/kg

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

No additional information available

<b>Aluminum oxide (Al<sub>2</sub>O<sub>3</sub>) (1344-28-1)</b>	
LC50 Fish 1	> 100 mg/l
EC50 - Crustacea [1]	> 100 mg/l
ErC50 algae	> 100 mg/l
NOEC (Acute)	> 50 mg/l
<b>1,2,3-Propanetriol (56-81-5)</b>	
LC50 Fish 1	54000 (51000 – 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])

### 12.2. Persistence and Degradability

<b>Micro-Gloss #5</b>	
Persistence and Degradability	Not established.

### 12.3. Bioaccumulative Potential

<b>Micro-Gloss #5</b>	
Bioaccumulative Potential	Not established.
<b>1,2,3-Propanetriol (56-81-5)</b>	
BCF Fish 1	(no bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	-1.75 (at 25 °C (at pH 7.4)

### 12.4. Mobility in Soil

No additional information available

# Micro-Gloss #5

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

## 12.5. Other Adverse Effects

**Other Information:** Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

**Ecology - Waste Materials:** Avoid release to the environment.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

### 14.1. In Accordance with DOT

Not regulated for transport

### 14.2. In Accordance with IMDG

Not regulated for transport

### 14.3. In Accordance with IATA

Not regulated for transport

### 14.4. In Accordance with TDG

Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

#### Aluminum oxide (Al<sub>2</sub>O<sub>3</sub>) (1344-28-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Subject to reporting requirements of United States SARA Section 313

#### SARA Section 313 - Emission Reporting

1 % (fibrous forms)

#### 1,2,3-Propanetriol (56-81-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### 15.2. US State Regulations

#### Aluminum oxide (Al<sub>2</sub>O<sub>3</sub>) (1344-28-1)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Massachusetts - Right To Know List  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

#### 1,2,3-Propanetriol (56-81-5)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Massachusetts - Right To Know List

### 15.3. Canadian Regulations

#### Aluminum oxide (Al<sub>2</sub>O<sub>3</sub>) (1344-28-1)

Listed on the Canadian DSL (Domestic Substances List)

#### 1,2,3-Propanetriol (56-81-5)

Listed on the Canadian DSL (Domestic Substances List)

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Date of Preparation or Latest** : 11/28/2022

**Revision**

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

# Micro-Gloss #5

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

---

NA GHS SDS 2015 (Can, US)

# Final Finish

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).  
Date of Issue: 11/10/2022 Version: 1.0

### SECTION 1: IDENTIFICATION

#### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** Final Finish

#### 1.2. Intended Use of the Product

Polish to remove residual haze on coatings, paint or plastics.

#### 1.3. Name, Address, and Telephone of the Responsible Party

##### Company

Micro-Surface Finishing Products, Inc.

1217 W 3rd St

PO Box 70

Wilton IA 52778

563.732.3240

[www.micro-surface.com](http://www.micro-surface.com)

#### 1.4. Emergency Telephone Number

**Emergency Number** : 563.732.3240

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

##### GHS-US/CA Classification

Flammable liquids Category 2	H225
Skin corrosion/irritation Category 2	H315
Serious eye damage/eye irritation Category 2	H319
Specific target organ toxicity (repeated exposure) Category 1	H372
Hazardous to the aquatic environment - Acute Hazard Category 3	H402
Hazardous to the aquatic environment - Chronic Hazard Category 3	H412

#### 2.2. Label Elements

##### GHS-US/CA Labeling

##### Hazard Pictograms (GHS-US/CA)



##### Signal Word (GHS-US/CA)

: Danger

##### Hazard Statements (GHS-US/CA)

: H225 - Highly flammable liquid and vapor.  
H315 - Causes skin irritation.  
H319 - Causes serious eye irritation.  
H372 - Cause damage to organs (central nervous system) through prolonged or repeated exposure (inhalation).  
H402 - Harmful to aquatic life.  
H412 - Harmful to aquatic life with long lasting effects.

##### Precautionary Statements (GHS-US/CA)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 - Keep container tightly closed.  
P240 - Ground/bond container and receiving equipment.  
P241 - Use explosion-proof electrical, ventilating, and lighting equipment.  
P242 - Use only non-sparking tools.  
P243 - Take action to prevent static discharges.  
P260 - Do not breathe vapors, mist, or spray.  
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P273 - Avoid release to the environment.

# Final Finish

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

P280 - Wear protective gloves, protective clothing, and eye protection.  
 P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P314 - Get medical advice/attention if you feel unwell.  
 P321 - Specific treatment (see section 4 on this SDS).  
 P332+P313 - If skin irritation occurs: Get medical advice/attention.  
 P337+P313 - If eye irritation persists: Get medical advice/attention.  
 P362+P364 - Take off contaminated clothing and wash it before reuse.  
 P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish.  
 P403+P235 - Store in a well-ventilated place. Keep cool.  
 P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US/CA)

No additional information available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Synonyms	Product Identifier	% *	GHS Ingredient Classification
Naphtha, petroleum, hydrotreated light	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics / Naphtha, petroleum, hydrotreated light (A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C4-11 and boiling in the range of approximately minus 20-190°C.) / Naphtha (petroleum), hydrotreated light	(CAS-No.) 64742-49-0	7 - 13	Flam. Liq. 3, H226 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Solvent naphtha, petroleum, medium aliphatic	Aliphatic naphtha / Medium aliphatic solvent naphtha / White spirit type 0 / Solvent naphtha(petroleum), medium aliphatic / Solvent naphtha, petroleum, medium aliphatic (A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C9-12 and boiling in the range of approximately 140-220°C.) / Aliphatic petroleum solvent (naphtha) / Stoddard chloride / Stoddard solvent / Medium aliphatic solvent naphtha (petroleum) / Solvent naphtha (petroleum), medium aliphatic; Straight run kerosine [A complex	(CAS-No.) 64742-88-7	5 - 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 STOT SE 3, H336 STOT RE 1, H372 Asp. Tox. 1, H304 Aquatic Acute 2, H401 Aquatic Chronic 2, H411



# Final Finish

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

	combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C9 through C12 and boiling in the range of approximately 140°C to 220°C (284°F to 428°F). / Mineral spirits / Solvent naphtha medium aliphatic / Solvent naphtha, medium heavy, aliphatic hydrocarbons / Stoddard Solvent (Type IIC) / Naphtha, solvent (petroleum), medium aliphatic / Solvent naphtha (petroleum), medium aliphatic			
Stearic acid	1-Heptadecanecarboxylic acid / Neo-fat 18 / n-Octadecanoic acid / Octadecanoic acid / STEARIC ACID / stearic acid	(CAS-No.) 57-11-4	1 - 5	Comb. Dust
Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[[[3-(decyloxy)propyl]methylimino]di-2,1-ethanediyl]bis[.omega.-hydroxy-, branched, chlorides	Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[[[3-(decyloxy)propyl]methylimino]di-2,1-ethanediyl]bis[.omega.-hydroxy-, branched, chlorides / .alpha.,.alpha.'-[[[3-(Decyloxy)propyl]methylimino]di-2,1-ethanediyl]bis[.omega.-hydroxypoly(oxy-1,2-ethanediyl)], branched, chlorides / Poly(oxy-1,2-ethanediyl), a,a'-[[[3-(decyloxy)propyl]methylimino]di-2,1-ethanediyl]bis[w-hydroxy-, branched, chlorides	(CAS-No.) 68478-94-4	1.8 – 2.3	Skin Corr. 1, H314 Eye Dam. 1, H318
Triethanolamine	Tris(hydroxyethyl)amine / Trolamine / Tri(2-hydroxyethyl)amine / TRIETHANOLAMINE / Tris(2-hydroxyethyl)amine / TEA / 2,2',2''-Nitrilotriethanol / Ethanol, 2,2',2''-nitrilotris- / Ethanol, 2,2',2''-nitrilotri-	(CAS-No.) 102-71-6	0.1 - 1	Not classified
Isopropyl alcohol	2-Propanol / Isopropanol / Propan-2-ol / ISOPROPYL ALCOHOL / Propanol, 2- / 2-Propyl alcohol / 2-Hydroxypropane / Isopropylic alcohol	(CAS-No.) 67-63-0	0.3 – 0.6	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
Acrylic acid	Acroleic acid / Propenoic acid / 2-Propenoic acid / Acrylic acid, stabilized / Prop-2-enoic acid / ACRYLIC ACID	(CAS-No.) 79-10-7	0.1 - 1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

# Final Finish

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Octamethylcyclotetrasiloxane	Cyclotetrasiloxane, octamethyl- / Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl- / D4 / 2,2,4,4,6,6,8,8-Octamethylcyclotetrasiloxane / Cyclomethicone 4	(CAS-No.) 556-67-2	≤ 0.004	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 1, H410
------------------------------	--	--------------------	---------	--

Full text of H-statements: see section 16

\*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

\*\* The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

### SECTION 4: FIRST AID MEASURES

#### 4.1. Description of First-aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Immediately remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

**Eye Contact:** Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

#### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**General:** Causes skin irritation. Causes serious eye irritation. Cause damage to organs (central nervous system) through prolonged or repeated exposure (inhalation).

**Inhalation:** Prolonged exposure may cause irritation.

**Skin Contact:** Redness, pain, swelling, itching, burning, dryness, and dermatitis.

**Eye Contact:** Contact causes severe irritation with redness and swelling of the conjunctiva.

**Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** Cause damage to organs (central nervous system) through prolonged or repeated exposure (inhalation).

#### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

### SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>). Water may be ineffective but water should be used to keep fire-exposed container cool.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. A heavy water stream may spread burning liquid.

#### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Highly flammable liquid and vapor.

**Explosion Hazard:** May form flammable or explosive vapor-air mixture.

**Reactivity:** Reacts violently with strong oxidizers. Increased risk of fire or explosion.

#### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:**

**Other Information:** Do not allow run-off from fire fighting to enter drains or water courses.

# Final Finish

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### 5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid breathing (vapor, mist, spray). Avoid all contact with skin, eyes, or clothing. Do not get in eyes, on skin, or on clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric charges.

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Eliminate ignition sources first, then ventilate the area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed:** Handle empty containers with care because residual vapors are flammable.

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Avoid contact with skin, eyes and clothing. Take precautionary measures against static discharge. Use only non-sparking tools.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations. Take action to prevent static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.

**Storage Conditions:** Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place.

**Incompatible Materials:** Oxidizers. Avoid aluminum at higher temperatures. Halogenated compounds.

### 7.3. Specific End Use(s)

Polish to remove residual haze on coatings, paint or plastics.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Acrylic acid (79-10-7)		
USA ACGIH	ACGIH OEL TWA [ppm]	2 ppm
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route
USA NIOSH	NIOSH REL (TWA)	6 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL TWA [ppm]	2 ppm

# Final Finish

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

<b>Alberta</b>	OEL TWA	5.9 mg/m <sup>3</sup>
<b>Alberta</b>	OEL TWA [ppm]	2 ppm
<b>British Columbia</b>	OEL TWA [ppm]	2 ppm
<b>Manitoba</b>	OEL TWA [ppm]	2 ppm
<b>New Brunswick</b>	OEL TWA	5.9 mg/m <sup>3</sup>
<b>New Brunswick</b>	OEL TWA [ppm]	2 ppm
<b>Newfoundland &amp; Labrador</b>	OEL TWA [ppm]	2 ppm
<b>Nova Scotia</b>	OEL TWA [ppm]	2 ppm
<b>Nunavut</b>	OEL STEL [ppm]	4 ppm
<b>Nunavut</b>	OEL TWA [ppm]	2 ppm
<b>Northwest Territories</b>	OEL STEL [ppm]	4 ppm
<b>Northwest Territories</b>	OEL TWA [ppm]	2 ppm
<b>Ontario</b>	OEL TWA [ppm]	2 ppm
<b>Prince Edward Island</b>	OEL TWA [ppm]	2 ppm
<b>Québec</b>	VEMP (OEL TWA)	5.9 mg/m <sup>3</sup>
<b>Québec</b>	VEMP (OEL TWA) [ppm]	2 ppm
<b>Saskatchewan</b>	OEL STEL [ppm]	4 ppm
<b>Saskatchewan</b>	OEL TWA [ppm]	2 ppm
<b>Triethanolamine (102-71-6)</b>		
<b>USA ACGIH</b>	ACGIH OEL TWA	5 mg/m <sup>3</sup>
<b>Alberta</b>	OEL TWA	5 mg/m <sup>3</sup>
<b>British Columbia</b>	OEL TWA	5 mg/m <sup>3</sup>
<b>Manitoba</b>	OEL TWA	5 mg/m <sup>3</sup>
<b>New Brunswick</b>	OEL TWA	5 mg/m <sup>3</sup>
<b>Newfoundland &amp; Labrador</b>	OEL TWA	5 mg/m <sup>3</sup>
<b>Nova Scotia</b>	OEL TWA	5 mg/m <sup>3</sup>
<b>Nunavut</b>	OEL STEL	10 mg/m <sup>3</sup>
<b>Nunavut</b>	OEL TWA	5 mg/m <sup>3</sup>
<b>Northwest Territories</b>	OEL STEL	10 mg/m <sup>3</sup>
<b>Northwest Territories</b>	OEL TWA	5 mg/m <sup>3</sup>
<b>Ontario</b>	OEL TWA	3.1 mg/m <sup>3</sup>
<b>Ontario</b>	OEL TWA [ppm]	0.5 ppm
<b>Prince Edward Island</b>	OEL TWA	5 mg/m <sup>3</sup>
<b>Québec</b>	VEMP (OEL TWA)	5 mg/m <sup>3</sup>
<b>Saskatchewan</b>	OEL STEL	10 mg/m <sup>3</sup>
<b>Saskatchewan</b>	OEL TWA	5 mg/m <sup>3</sup>
<b>Isopropyl alcohol (67-63-0)</b>		
<b>USA ACGIH</b>	ACGIH OEL TWA [ppm]	200 ppm
<b>USA ACGIH</b>	ACGIH OEL STEL [ppm]	400 ppm
<b>USA ACGIH</b>	ACGIH chemical category	Not Classifiable as a Human Carcinogen
<b>USA ACGIH</b>	BEI (BLV)	40 mg/l Parameter: Acetone - Medium: urine - Sampling time: end of shift at end of workweek (background, nonspecific)
<b>USA OSHA</b>	OSHA PEL (TWA) [1]	980 mg/m <sup>3</sup>
<b>USA OSHA</b>	OSHA PEL (TWA) [2]	400 ppm
<b>USA NIOSH</b>	NIOSH REL (TWA)	980 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL TWA [ppm]	400 ppm
<b>USA NIOSH</b>	NIOSH REL (STEL)	1225 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL STEL [ppm]	500 ppm
<b>USA IDLH</b>	IDLH [ppm]	2000 ppm (10% LEL)
<b>Alberta</b>	OEL STEL	984 mg/m <sup>3</sup>

# Final Finish

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

<b>Alberta</b>	OEL STEL [ppm]	400 ppm
<b>Alberta</b>	OEL TWA	492 mg/m <sup>3</sup>
<b>Alberta</b>	OEL TWA [ppm]	200 ppm
<b>British Columbia</b>	OEL STEL [ppm]	400 ppm
<b>British Columbia</b>	OEL TWA [ppm]	200 ppm
<b>Manitoba</b>	OEL STEL [ppm]	400 ppm
<b>Manitoba</b>	OEL TWA [ppm]	200 ppm
<b>New Brunswick</b>	OEL STEL	1230 mg/m <sup>3</sup>
<b>New Brunswick</b>	OEL STEL [ppm]	500 ppm
<b>New Brunswick</b>	OEL TWA	983 mg/m <sup>3</sup>
<b>New Brunswick</b>	OEL TWA [ppm]	400 ppm
<b>Newfoundland &amp; Labrador</b>	OEL STEL [ppm]	400 ppm
<b>Newfoundland &amp; Labrador</b>	OEL TWA [ppm]	200 ppm
<b>Nova Scotia</b>	OEL STEL [ppm]	400 ppm
<b>Nova Scotia</b>	OEL TWA [ppm]	200 ppm
<b>Nunavut</b>	OEL STEL [ppm]	400 ppm
<b>Nunavut</b>	OEL TWA [ppm]	200 ppm
<b>Northwest Territories</b>	OEL STEL [ppm]	400 ppm
<b>Northwest Territories</b>	OEL TWA [ppm]	200 ppm
<b>Ontario</b>	OEL STEL [ppm]	400 ppm
<b>Ontario</b>	OEL TWA [ppm]	200 ppm
<b>Prince Edward Island</b>	OEL STEL [ppm]	400 ppm
<b>Prince Edward Island</b>	OEL TWA [ppm]	200 ppm
<b>Québec</b>	VECD (OEL STEL)	1230 mg/m <sup>3</sup>
<b>Québec</b>	VECD (OEL STEL) [ppm]	500 ppm
<b>Québec</b>	VEMP (OEL TWA)	985 mg/m <sup>3</sup>
<b>Québec</b>	VEMP (OEL TWA) [ppm]	400 ppm
<b>Saskatchewan</b>	OEL STEL [ppm]	400 ppm
<b>Saskatchewan</b>	OEL TWA [ppm]	200 ppm
<b>Yukon</b>	OEL STEL	1225 mg/m <sup>3</sup>
<b>Yukon</b>	OEL STEL [ppm]	500 ppm
<b>Yukon</b>	OEL TWA	980 mg/m <sup>3</sup>
<b>Yukon</b>	OEL TWA [ppm]	400 ppm
<b>Octamethylcyclotetrasiloxane (556-67-2)</b>		
<b>USA AIHA</b>	WEEL TWA [ppm]	10 ppm
<b>Stearic acid (57-11-4)</b>		
<b>USA ACGIH</b>	ACGIH OEL TWA	10 mg/m <sup>3</sup> (inhalable particulate matter (Stearates)) 3 mg/m <sup>3</sup> (respirable particulate matter (Stearates))
<b>British Columbia</b>	OEL TWA	10 mg/m <sup>3</sup> (does not include Stearates of toxic metals-inhalable (Stearates)) 3 mg/m <sup>3</sup> (does not include Stearates of toxic metals-respirable (Stearates))
<b>Manitoba</b>	OEL TWA	10 mg/m <sup>3</sup> (inhalable particulate matter (Stearates)) 3 mg/m <sup>3</sup> (respirable particulate matter (Stearates))
<b>Newfoundland &amp; Labrador</b>	OEL TWA	10 mg/m <sup>3</sup> (inhalable particulate matter (Stearates)) 3 mg/m <sup>3</sup> (respirable particulate matter (Stearates))
<b>Nova Scotia</b>	OEL TWA	10 mg/m <sup>3</sup> (inhalable particulate matter (Stearates)) 3 mg/m <sup>3</sup> (respirable particulate matter (Stearates))
<b>Ontario</b>	OEL TWA	10 mg/m <sup>3</sup> (except stearates of toxic metals-inhalable particulate matter) 3 mg/m <sup>3</sup> (except stearates of toxic metals-respirable particulate matter)

# Final Finish

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Prince Edward Island	OEL TWA	10 mg/m <sup>3</sup> (inhalable particulate matter (Stearates)) 3 mg/m <sup>3</sup> (respirable particulate matter (Stearates))
Québec	VEMP (OEL TWA)	10 mg/m <sup>3</sup> (Stearates)

### 8.2. Exposure Controls

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment.

**Personal Protective Equipment:** Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics. Wear fire/flamm resistant/retardant clothing.

**Hand Protection:** Wear protective gloves.

**Eye and Face Protection:** Chemical safety goggles.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: White Cream
Odor	: According to product specification
Odor Threshold	: No data available
pH	: No data available
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: 48 – 70 °C (118,4 – 158 °F) (Hydrocarbons, C6, isoalkanes, <5% n-hexane (CAS-No. 64742-49-0))
Flash Point	: < 0 °C (32 °F) (Hydrocarbons, C6, isoalkanes, <5% n-hexane (CAS-No. 64742-49-0))
Auto-ignition Temperature	: > 200 °C (392 °F) (Hydrocarbons, C6, isoalkanes, <5% n-hexane (CAS-No. 64742-49-0))
Decomposition Temperature	: No data available
Flammability (solid, gas)	: Not applicable
Lower Flammable Limit	: No data available
Upper Flammable Limit	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Specific Gravity	: No data available
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available
Viscosity, Kinematic	: > 20.5 mm <sup>2</sup> /s

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity:

Reacts violently with strong oxidizers. Increased risk of fire or explosion.

### 10.2. Chemical Stability:

# Final Finish

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Highly flammable liquid and vapor. May form flammable or explosive vapor-air mixture.

### 10.3. Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

### 10.4. Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources. Protect from sunlight and air.

### 10.5. Incompatible Materials:

Oxidizers. Avoid aluminum at higher temperatures. Halogenated compounds.

### 10.6. Hazardous Decomposition Products:

Prolonged exposure to air and light may result in the formation of peroxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects - Product

**Acute Toxicity (Oral):** Not classified

**Acute Toxicity (Dermal):** Not classified

**Acute Toxicity (Inhalation):** Not classified

#### LD50 and LC50 Data:

No additional information available

**Skin Corrosion/Irritation:** Causes skin irritation.

**Eye Damage/Irritation:** Causes serious eye irritation.

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Cause damage to organs (central nervous system) through prolonged or repeated exposure (inhalation).

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified.

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** Redness, pain, swelling, itching, burning, dryness, and dermatitis.

**Symptoms/Injuries After Eye Contact:** Contact causes severe irritation with redness and swelling of the conjunctiva.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** Cause damage to organs (central nervous system) through prolonged or repeated exposure (inhalation).

### 11.2. Information on Toxicological Effects - Ingredient(s)

#### LD50 and LC50 Data:

<b>Acrylic acid (79-10-7)</b>	
LD50 Oral Rat	1337 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
LC50 Inhalation Rat	11.1 mg/l (Exposure time: 1 h)
LC50 Inhalation Rat	3.6 mg/l/4h
<b>Solvent naphtha, petroleum, medium aliphatic (64742-88-7)</b>	
LD50 Oral Rat	> 25 ml/kg
LD50 Dermal Rabbit	> 4000 mg/kg
LC50 Inhalation Rat	> 5.28 mg/l/4h
<b>Naphtha, petroleum, hydrotreated light (64742-49-0)</b>	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rabbit	> 3160 mg/kg
LC50 Inhalation Rat	73680 ppm/4h
<b>Triethanolamine (102-71-6)</b>	
LD50 Oral Rat	6400 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
<b>Isopropyl alcohol (67-63-0)</b>	
LD50 Dermal Rabbit	12956 mg/kg (16.4 mL/kg bw)

# Final Finish

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

LC50 Inhalation Rat	> 10000 ppm (Exposure time: 6 h)
<b>Octamethylcyclotetrasiloxane (556-67-2)</b>	
LD50 Oral Rat	> 4800 mg/kg (No mortality)
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)
LC50 Inhalation Rat	36 mg/l/4h
<b>Stearic acid (57-11-4)</b>	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
<b>Acrylic acid (79-10-7)</b>	
IARC Group	3
<b>Solvent naphtha, petroleum, medium aliphatic (64742-88-7)</b>	
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity.
<b>Triethanolamine (102-71-6)</b>	
IARC Group	3
<b>Isopropyl alcohol (67-63-0)</b>	
IARC Group	3

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Ecology - General: Harmful to aquatic life with long lasting effects.

<b>Acrylic acid (79-10-7)</b>	
LC50 Fish 1	222 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])
EC50 - Crustacea [1]	95 mg/l (Exposure time: 48 h - Species: Daphnia magna)
ErC50 algae	0.13 mg/l
NOEC Chronic Algae	0.016 mg/l
<b>Solvent naphtha, petroleum, medium aliphatic (64742-88-7)</b>	
LC50 Fish 1	800 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	> 100 mg/l (Exposure time: 48 h - Species: Daphnia magna)
ErC50 algae	3.7 mg/l
<b>Naphtha, petroleum, hydrotreated light (64742-49-0)</b>	
LC50 Fish 1	8.2 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
<b>Triethanolamine (102-71-6)</b>	
LC50 Fish 1	10600 (10600 – 13000) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 - Crustacea [1]	1386 mg/l
LC50 Fish 2	1000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
ErC50 algae	169 mg/l
NOEC Chronic Crustacea	16 mg/l
<b>Isopropyl alcohol (67-63-0)</b>	
LC50 Fish 1	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 - Crustacea [1]	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 1	1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)
LC50 Fish 2	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Other Aquatic Organisms 2	1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
<b>Octamethylcyclotetrasiloxane (556-67-2)</b>	
LC50 Fish 1	> 22 µg/l

### 12.2. Persistence and Degradability

<b>Final Finish</b>	
Persistence and Degradability	May cause long-term adverse effects in the environment.



# Final Finish

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### 12.3. Bioaccumulative Potential

<b>Final Finish</b>	
<b>Bioaccumulative Potential</b>	Not established.
<b>Acrylic acid (79-10-7)</b>	
<b>Partition coefficient n-octanol/water (Log Pow)</b>	0.46 (at 25 °C)
<b>Solvent naphtha, petroleum, medium aliphatic (64742-88-7)</b>	
<b>BCF Fish 1</b>	(bioaccumulation expected)
<b>Triethanolamine (102-71-6)</b>	
<b>BCF Fish 1</b>	3.9
<b>Partition coefficient n-octanol/water (Log Pow)</b>	-2.53
<b>Isopropyl alcohol (67-63-0)</b>	
<b>Partition coefficient n-octanol/water (Log Pow)</b>	0.05 (at 25 °C)
<b>Octamethylcyclotetrasiloxane (556-67-2)</b>	
<b>BCF Fish 1</b>	(12400 dimensionless)
<b>Partition coefficient n-octanol/water (Log Pow)</b>	6.488 (at 25.1 °C)

### 12.4. Mobility in Soil

<b>Stearic acid (57-11-4)</b>	
<b>Organic Carbon Normalized Adsorption Coefficient (Log Koc)</b>	51.05

### 12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

**Additional Information:** Handle empty containers with care because residual vapors are flammable.

**Ecology - Waste Materials:** Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

### 14.1. In Accordance with DOT

**Proper Shipping Name** : PAINT RELATED MATERIAL  
**Hazard Class** : 3  
**Identification Number** : UN1263  
**Label Codes** : 3  
**Packing Group** : II  
**Marine Pollutant** : Marine pollutant  
**ERG Number** : 128



### 14.2. In Accordance with IMDG

**Proper Shipping Name** : PAINT RELATED MATERIAL  
**Hazard Class** : 3  
**Identification Number** : UN1263  
**Label Codes** : 3  
**Packing Group** : II  
**EmS-No. (Fire)** : F-E



# Final Finish

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

EmS-No. (Spillage) : S-E

### 14.3. In Accordance with IATA

Proper Shipping Name : PAINT RELATED MATERIAL

Hazard Class : 3

Identification Number : UN1263

Label Codes : 3

Packing Group : II

ERG Code (IATA) : 3L



### 14.4. In Accordance with TDG

Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

<b>Final Finish</b>	
<b>SARA Section 311/312 Hazard Classes</b>	Health hazard - Specific target organ toxicity (single or repeated exposure) Health hazard - Skin corrosion or Irritation Physical hazard - Flammable (gases, aerosols, liquids, or solids) Health hazard - Serious eye damage or eye irritation
<b>Acrylic acid (79-10-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	5000 lb
<b>SARA Section 313 - Emission Reporting</b>	1 %
<b>Solvent naphtha, petroleum, medium aliphatic (64742-88-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
<b>Naphtha, petroleum, hydrotreated light (64742-49-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
<b>Triethanolamine (102-71-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
<b>Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.-[[[3-(decyloxy)propyl]methyliminio]di-2,1-ethanediyl]bis[.omega.-hydroxy-, branched, chlorides (68478-94-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
<b>EPA TSCA Regulatory Flag</b>	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
<b>Isopropyl alcohol (67-63-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Subject to reporting requirements of United States SARA Section 313	
<b>SARA Section 313 - Emission Reporting</b>	1 % (only if manufactured by the strong acid process, no supplier notification)
<b>Octamethylcyclotetrasiloxane (556-67-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
<b>EPA TSCA Regulatory Flag</b>	T - T - indicates a substance that is the subject of a final TSCA section 4 test rule.
<b>Stearic acid (57-11-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	

### 15.2. US State Regulations

<b>Acrylic acid (79-10-7)</b>
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

# Final Finish

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

U.S. - Massachusetts - Right To Know List  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

### Triethanolamine (102-71-6)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Massachusetts - Right To Know List

### Isopropyl alcohol (67-63-0)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Massachusetts - Right To Know List  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

## 15.3. Canadian Regulations

### Acrylic acid (79-10-7)

Listed on the Canadian DSL (Domestic Substances List)

### Solvent naphtha, petroleum, medium aliphatic (64742-88-7)

Listed on the Canadian DSL (Domestic Substances List)

### Naphtha, petroleum, hydrotreated light (64742-49-0)

Listed on the Canadian DSL (Domestic Substances List)

### Triethanolamine (102-71-6)

Listed on the Canadian DSL (Domestic Substances List)

### Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[[[3-(decyloxy)propyl]methyliminio]di-2,1-ethanediyl]bis[.omega.-hydroxy-, branched, chlorides (68478-94-4)

Listed on the Canadian DSL (Domestic Substances List)

### Isopropyl alcohol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List)

### Octamethylcyclotetrasiloxane (556-67-2)

Listed on the Canadian DSL (Domestic Substances List)

### Stearic acid (57-11-4)

Listed on the Canadian DSL (Domestic Substances List)

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Date of Preparation or Latest Revision** : 11/10/2022

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

### GHS Full Text Phrases:

H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness

# Final Finish

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

H361	Suspected of damaging fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

NA GHS SDS 2015 (Can, US)